

## SPIN-ORBIT EFFECTS IN SEMICONDUCTOR NANOSTRUCTURES IN A MAGNETIC FIELD

**R.G. Nazmitdinov<sup>1,2</sup>, K.N. Pichugin<sup>3</sup>**

<sup>1</sup>*Departament de Física, Universitat de les Illes Balears  
Palma de Mallorca, Spain*

<sup>2</sup>*BLTP, Joint Institute for Nuclear Research, Dubna, Russia*

<sup>3</sup>*Kirensky Institute of Physics, Akademgorodok 50/38, 660036, Krasnoyarsk, Russia*

*E-mail: rashid@theor.jinr.ru*

We analyze the interplay between different spin-orbit (Dresselhaus, Bychkov-Rashba, and Zeeman) interactions in two-dimensional semiconductors under vertical and in-plane magnetic fields. The analysis is done in the effective-mass approximation approach. We obtained an analytical expression for the effective cyclotron frequency that depends on the spin-orbit interactions at the vertical magnetic field [1]. We show that spin precession in a semiconductor quantum wire, caused by the Rashba and the Dresselhaus interactions (both of arbitrary strengths), can be suppressed by means an in-plane magnetic field. Imposing a translational invariance in the longitudinal coordinate, we found a new type of symmetry, which arises at a particular set of intensity and orientation of the magnetic field and explains this suppression [2]. In virtue of this symmetry the spin precession is suppressed at arbitrary polarization of the injected electrons. By setting these conditions 'on' and 'off', the flow of a certain spin polarization through the device is either allowed or destroyed, thus, defining a transistor-like action for the spin. Introducing an additional random potential  $V_{sc}$  ( $\langle V_{sc} \rangle = 0$ ) in the wire, we found that this symmetry is numerically robust even at large potential values :  $Var(V_{sc}) \approx \pm 0.4E_F$ , where  $E_F$  is a Fermi energy of the injected electrons.

### **References**

- [1] M. Valn-Rodrguez and R.G. Nazmitdinov, "Model for spin-orbit effects in two-dimensional semiconductors in magnetic fields" *Phys. Rev. B* **73**, 235306 (2006).
- [2] R.G. Nazmitdinov, K. N. Pichugin, and M. Valn-Rodrguez, "Spin control in semiconductor quantum wires: Rashba and Dresselhaus interaction" *Phys. Rev. B*, **79**, 193303 (2009).